


Spannsatz KLAA

Eigenschaften:


- selbstzentrierend
- schnelle Wartung und Montage
- mittleres bis hohes Drehmoment
- selbstsperrend



Maßtabelle - Abmessungen in mm

Kurzeichen				Abmessungen						Gewicht	
				d mm	D	H	H ₁	H ₂	H ₃	G kg	
KLAA019x47	🌐	🛒	📦	19	47	34	28	17	22	0,350	
KLAA020x47	🌐	🛒	📦	20	47	34	28	17	22	0,300	
KLAA022x47	🌐	🛒	📦	22	47	34	28	17	22	0,280	
KLAA024x50	🌐	🛒	📦	24	50	34	28	17	22	0,300	
KLAA025x50	🌐	🛒	📦	25	50	34	28	17	22	0,300	
KLAA028x55	🌐	🛒	📦	28	55	34	28	17	22	0,320	
KLAA030x55	🌐	🛒	📦	30	55	34	28	17	22	0,500	
KLAA032x60	🌐	🛒	📦	32	60	34	28	17	22	0,450	
KLAA035x60	🌐	🛒	📦	35	60	34	28	17	22	0,300	
KLAA038x65	🌐	🛒	📦	38	65	34	28	17	22	0,500	
KLAA040x65	🌐	🛒	📦	40	65	34	28	17	22	0,400	
KLAA042x75	🌐	🛒	📦	42	75	41	33	20	25	0,600	
KLAA045x75	🌐	🛒	📦	45	75	41	33	20	25	0,666	
KLAA050x80	🌐	🛒	📦	50	80	41	33	20	25	0,700	
KLAA055x85	🌐	🛒	📦	55	85	41	33	20	25	0,800	

Spannsatz KLAA




Anzugsmoment Schrauben	Drehmoment	Axialkraft	Druck des Spannsatzes		Befestigungsschrauben	
			Welle	Nabe		
T_v Nm	M_t Nm	T_a kN	P_a N/mm ²	P_m N/mm ²	Größe	Anzahl
14	355	31	280	120	M6x20	5
14	360	33	280	120	M6x20	5
14	400	33	268	123	M6x20	5
14	440	36	243	120	M6x20	6
14	560	36	280	138	M6x20	6
14	625	36	250	128	M6x20	6
14	650	36	235	128	M6x20	6
14	950	50	290	150	M6x20	8
14	1.050	50	268	150	M6x20	8
14	1.140	50	252	146	M6x20	8
14	1.200	50	232	146	M6x20	8
32	1.563	74	261	146	M8x25	7
35	2.180	70	285	168	M8x25	7
35	2.430	85	258	158	M8x25	7
35	3.050	85	268	173	M8x25	8

Spannsatz KLAA

Eigenschaften:


- selbstzentrierend
- schnelle Wartung und Montage
- mittleres bis hohes Drehmoment
- selbstsperrend



Maßtabelle - Abmessungen in mm

Kurzeichen				Abmessungen						Gewicht
				d mm	D	H	H ₁	H ₂	H ₃	
KLAA060x90				60	90	41	33	20	25	0,850
KLAA065x95				65	95	41	33	20	25	0,900
KLAA070x110				70	110	50	40	24	30	1,500
KLAA075x115				75	115	50	40	24	30	2,000
KLAA080x120				80	120	50	40	24	30	2,000
KLAA085x125				85	125	50	40	24	30	1,900
KLAA090x130				90	130	50	40	24	30	2,000
KLAA095x135				95	135	50	40	24	30	2,100
KLAA100x145				100	145	56	44	26	32	3,000
KLAA110x155				110	155	56	44	26	32	3,000
KLAA120x165				120	165	56	44	26	32	3,500
KLAA130x180				130	180	64	52	33	39	4,500
KLAA140x190				140	190	68	54	33	39	5,000
KLAA150x200				150	200	68	54	33	39	5,400

Spannsatz KLAA



Anzugsmoment Schrauben	Drehmoment	Axialkraft	Druck des Spannsatzes		Befestigungsschrauben	
			Welle	Nabe		
T_v Nm	M_t Nm	T_a kN	P_a N/mm ²	P_m N/mm ²	Größe	Anzahl
35	3.350	85	243	163	M8x25	8
35	4.080	85	253	176	M8x25	9
70	6.280	119	278	178	M10x30	8
70	6.680	119	258	168	M10x30	8
70	7.130	119	248	168	M10x30	8
70	8.750	132	258	178	M10x30	9
70	9.080	132	248	168	M10x30	9
70	10.580	132	258	178	M10x30	10
125	13.380	170	268	188	M12x35	8
125	14.580	170	238	178	M12x35	8
125	17.880	200	248	178	M12x35	9
190	25.950	270	238	168	M12x35	12
190	26.950	270	208	148	M14x40	9
190	32.950	320	228	168	M14x40	10