


Deckellager DIN 505 L




DIN 505 L

Maßtabelle - Abmessungen in mm

Abmessungen

			d ₁ D10	d ₂ K7	d ₆	d ₇	d ₈	a	b ₁ 0 -0,3	b ₂ -0,05 -0,15	b ₃	c
DIN505-L25	🌐	🛒	25	35	15	M12	M10	165	45	35	40	22
DIN505-L30	🌐	🛒	30	40	15	M12	M10	165	45	35	40	22
DIN505-L35	🌐	🛒	35	45	15	M12	M10	180	50	40	45	25
DIN505-L40	🌐	🛒	40	50	15	M12	M10	180	50	40	45	25
DIN505-L45	🌐	🛒	45	55	19	M16	M12	210	55	45	50	30
DIN505-L50	🌐	🛒	50	60	19	M16	M12	210	55	45	50	30
DIN505-L55	🌐	🛒	55	65	19	M16	M12	225	60	50	55	35
DIN505-L60	🌐	🛒	60	70	19	M16	M12	225	60	50	55	35
DIN505-L70	🌐	🛒	70	85	24	M20	M16	270	65	53	60	40
DIN505-L80	🌐	🛒	80	95	24	M20	M16	290	75	63	70	45
DIN505-L90	🌐	🛒	90	105	28	M24	M20	330	85	73	80	50
DIN505-L100	🌐	🛒	100	115	28	M24	M20	355	95	81	90	55
DIN505-L110	🌐	🛒	110	125	28	M24	M20	355	95	81	90	55
DIN505-L125	🌐	🛒	125	145	35	M30	M24	420	110	94	100	60
DIN505-L140	🌐	🛒	140	160	35	M30	M24	440	125	105	120	65



Deckellager DIN 505 L



Maßtabelle - Abmessungen in mm

Abmessungen					Ersatzschale	Gewicht kg
	h_1 $\pm 0,2$	h_2 max.	m_1	m_2		
DIN505-L25	40	78	125	65	DIN505-M25	2,5
DIN505-L30	40	78	125	65	DIN505-M30	2,5
DIN505-L35	50	95	140	75	DIN505-M35	4,0
DIN505-L40	50	95	140	75	DIN505-M40	4,0
DIN505-L45	60	114	160	90	DIN505-M45	5,0
DIN505-L50	60	114	160	90	DIN505-M50	5,0
DIN505-L55	70	132	175	100	DIN505-M55	8,0
DIN505-L60	70	132	175	100	DIN505-M60	8,0
DIN505-L70	80	154	210	120	DIN505-M70	12,0
DIN505-L80	90	170	230	130	DIN505-M80	17,0
DIN505-L90	100	188	265	150	DIN505-M90	22,0
DIN505-L100	110	210	290	170	DIN505-M100	26,0
DIN505-L110	110	210	290	170	DIN505-M110	26,0
DIN505-L125	130	250	340	200	DIN505-M125	29,0
DIN505-L140	150	280	360	220	DIN505-M140	38,0

Deckellager DIN 506




DIN 506

Maßtabelle - Abmessungen in mm

Abmessungen

			d ₁ D10	d ₂ K7	d ₆	d ₇	d ₈	d ₉	a	b ₁ 0 -0,3	b ₂ -0,05 -0,15	b ₃
DIN506-A80	🌐	🛒	80	95	24	M20	G1/4	M16	300	140	125	130
DIN506-A90	🌐	🛒	90	110	24	M20	G1/4	M20	330	160	135	140
DIN506-A100	🌐	🛒	100	120	28	M24	G1/4	M20	360	180	155	160
DIN506-A110	🌐	🛒	110	130	28	M24	G1/4	M20	360	180	155	160
DIN506-A120	🌐	🛒	120	155	28	M24	G3/8	M24	400	200	175	170
DIN506-A125	🌐	🛒	125	155	28	M24	G3/8	M24	400	200	175	170
DIN506-A130	🌐	🛒	130	155	28	M24	G3/8	M24	400	200	175	170
DIN506-A140	🌐	🛒	140	165	35	M30	G3/8	M24	440	220	195	190
DIN506-A150	🌐	🛒	150	175	35	M30	G3/8	M24	440	220	195	190
DIN506-A160	🌐	🛒	160	190	35	M30	G3/8	M24	530	260	240	220
DIN506-A180	🌐	🛒	180	210	35	M30	G3/8	M24	530	260	240	220
DIN506-A200	🌐	🛒	200	235	35	M30	G3/8	M30	680	300	260	260
DIN506-A220	🌐	🛒	220	255	35	M30	G3/8	M30	680	300	260	260
DIN506-A240	🌐	🛒	240	280	42	M36	G3/8	M36	750	355	315	300
DIN506-A260	🌐	🛒	260	300	42	M36	G3/8	M36	750	355	315	300
DIN506-A280	🌐	🛒	280	325	48	M42	G3/8	M42	850	400	360	335
DIN506-A300	🌐	🛒	300	345	48	M42	G3/8	M42	850	400	360	335

Deckellager DIN 506



bis d = 130 mm



ab d = 140 mm

Maßtabelle - Abmessungen in mm

Abmessungen							Ringschraube	Ersatzschale	Gewicht
	h_1 $\pm 0,2$	h_2 max.	m_1	m_2	m_3	n	DIN 508		kg
DIN506-A80	100	190	240	130	65	70	-	DIN506-C80	25
DIN506-A90	100	200	270	145	80	80	-	DIN506-C90	30
DIN506-A100	110	210	300	170	80	90	-	DIN506-C100	40
DIN506-A110	110	210	300	170	80	90	-	DIN506-C110	40
DIN506-A120	120	245	330	200	100	100	-		
DIN506-A125	120	245	330	200	100	100	-	DIN506-C125	52
DIN506-A130	120	245	330	200	100	100	-		
DIN506-A140	130	260	360	215	110	110	M12	DIN506-C140	80
DIN506-A150	130	260	360	215	110	110	M12		
DIN506-A160	170	340	450	270	130	130	M16	DIN506-C160	118
DIN506-A180	170	340	450	270	130	130	M16	DIN506-C180	118
DIN506-A200	240	480	580	330	160	160	M20	DIN506-C200	235
DIN506-A220	240	480	580	330	160	160	M20	DIN506-C220	235
DIN506-A240	265	515	630	380	180	180	M24	DIN506-C240	440
DIN506-A260	265	515	630	380	180	180	M24	DIN506-C260	440
DIN506-A280	315	610	700	420	200	200	M30	DIN506-C280	540
DIN506-A300	315	610	700	420	200	200	M30	DIN506-C300	540